




Grip Shorts - Cunningham FRAN - Style #2231


AM 475 - FA2022, Men's, FA2022, 2022-2023

Summary



Grip Shorts - Cunningham FRAN

Name	Grip Shorts - Cunningham FRAN
Style No.	2231
Description	Adaptive grip shorts Elastic waistband MORITO products for ease of access TransDRY™ Technology
Division	AM 475 - FA2022
Category	Men's
Season	FA2022
Year	2022-2023
Size Scale	L -Sample size
	<input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> 2XL <input type="checkbox"/> 3XL <input type="checkbox"/> 4XL
Factory	To Be Determined
COO	China
Main Fabric	7215 Plain Weave 97% Cotton / 3% Spandex 95 GSM TransDRY™ Technology
New/Carryover	New Style
Style Status	In Development
MSRP	72.49
Target Cost	12
Target Margin (%)	42
MOQ	3000
Leadtime	180
AM 375 - Developer Name	Lauren Cunningham
AM 475 - Developer Name	Lauren Cunningham
Created by/Author	12/11/2022 Lauren Cunningham Lauren.Cunningham@rams.colostate.edu




Asset 14-1



Grip Shorts - Cunningham FRAN - Style #2231

AM 475 - FA2022, Men's, FA2022, 2022-2023



Images / Color Variants





Asset 14-1 (Copy)

1. ● Fair Green

Custom Code: 15-6316 TCX



Asset 14 - Copy (2)-1
2. ● Graystone
Custom Code: 19-3915 TCX



Asset 14 - Copy-1


3. ● Tan

Custom Code: 16-1334 TPG



Components (6)

- B1** Drawstring - Cunningham
- B2** 2" Elastic Band - Cunningham
- B3** Block Tapey Type 3 - Cunningham
- B4** Block Tapey Type 3 - Cunningham
- B5** Coats & Clark All Purpose Cotton Thread - Cunningham
- B6** Coats & Clark All Purpose Cotton Thread - Cunningham




Asset 14-1 (Copy)




Construction Details (6)

- C1** Overlock
- C2** 301 topstitch
- C3** 301 topstitch
- C4** 1" Rolled Hem
- C5** MORITO
- C6** 406 Coverstitch




Asset 14-1 (Copy) (Copy)



Points of measure (12)

- D1** Waistband Width (knit)
- D2** Waistband Width, Stretched (knit)
- D3** Front Rise
- D4** Low Hip Width from Waist (knit)
- D5** High Hip Width (knit)
- D6** Inseam
- D7** Outseam
- D8** Thigh Width (knit)
- D9** Leg Opening Width (Knit)
- D10** Waistband Depth
- D11** Pocket Opening Within a Seam
- D12** Drawstring length


TECHPACKS-08-1



Points of measure (1)

D1 Back Rise

TECHPACKS-09-1



Asset 1-1



Asset 16-1



v987-rm355-03-mockup-1



















green fabric-1



Grip Shorts - Cunningham FRAN - Style #2231

AM 475 - FA2022, Men's, FA2022, 2022-2023

















THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. FAIR GREEN CODE: 15-6316 TCX	2. GRAYSTONE CODE: 19-3915 TCX	3. TAN CODE: 16-1334 TPG
FABRIC								
1	 <p>7215 Plain Weave CODE: pakgr Supplier: Factory Supplied Content (Fiber Content): 97% Cotton / 3% Spandex Fabric Width: 54" Weight (GSM): 95 Finishes: TransDRY™ Technology Dye Method: Piece Dyed AM 475 - Developer's Name: Lauren Cunningham</p>	1.2 /yd	Main Fabric	Approved	USA	 Fair Green Custom Code: 15-6316 TCX Price: \$4.58	 Graystone Custom Code: 19-3915 TCX Price: \$4.58	 Tan Custom Code: 16-1334 TPG Price: \$4.58
TRIMS								
2	 <p>Drawstring - Cunningham CODE: YX-LC066 (copy) Supplier: To Be Determined Content (Fiber Content): 100% Cotton Finishes: Sustainable, High Tenacity, Waterproof Dye Method: Piece Dyed Size: 4mm Diameter 30 in Length AM 475 - Developer's Name: Lauren Cunningham</p>	1 /Pieces	Waistband Drawstring	In Development	China	 DTM Custom Code: 101 Price: \$0.15	 DTM Custom Code: 101 Price: \$0.15	 DTM Custom Code: 101 Price: \$0.15
3	 <p>Coats & Clark All Purpose Cotton Thread - Cunningham CODE: 073650778704 Supplier: Factory Supplied Content (Fiber Content): 100% Cotton Weight (GSM): 30 Dye Method: N/A Size: 250 yds AM 475 - Developer's Name: Lauren Cunningham</p>	2 /yd	Throughout	Approved	China	 DTM Price: \$0.02	 DTM Price: \$0.02	 DTM Price: \$0.02
4	 <p>2" Elastic Band - Cunningham CODE: RTJln Supplier: Factory Supplied Content (Fiber Content): Polyester/Elastane Dye Method: Piece Dyed Size: 2 inch AM 475 - Developer's Name: Lauren Cunningham</p>	0.3 /m	Back elastic	In Development	China	 Black Custom Code: 19-4003 Price: \$0.11	 Black Custom Code: 19-4003 Price: \$0.11	 Black Custom Code: 19-4003 Price: \$0.11




Grip Shorts - Cunningham FRAN - Style #2231

AM 475 - FA2022, Men's, FA2022, 2022-2023


BOM > Set 1 of 1

THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. FAIR GREEN CODE: 15-6316 TCX	2. GRAYSTONE CODE: 19-3915 TCX	3. TAN CODE: 16-1334 TPG
5 	Block Tapev Type 3 - Cunningham CODE: 10BLK-IR21 P.50 Supplier: Factory Supplied Content (Fiber Content): POM/Polyester Finishes: OEKO-TEX certified Dye Method: N/A Size: 10 mm/piece AM 475 - Developer's Name: Lauren Cunningham	0.4 /m	Side closures	Approved		 Black Bean Custom Code: 19-3909 TCX Price: \$15.00	 Black Bean Custom Code: 19-3909 TCX Price: \$15.00	 Black Bean Custom Code: 19-3909 TCX Price: \$15.00
LABEL & PACKAGING								
6 	Woven Care Label - Cunningham CODE: 31323 Supplier: To Be Determined Content (Fiber Content): 100% Cotton Finishes: N/A Dye Method: N/A Size: 1 x 2 AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	CB Inside	In Development	China	 White - Cunningham Custom Code: 11-0601 TPG Price: \$0.09	 White - Cunningham Custom Code: 11-0601 TPG Price: \$0.09	 White - Cunningham Custom Code: 11-0601 TPG Price: \$0.09
7 	Hangtag 100% Recycled Material - Cunningham CODE: Yotxd Supplier: To Be Determined Content (Fiber Content): Recycled Paper Finishes: Recycled Dye Method: N/A Size: 1.5" x 2.5" AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	CB Inside	Approved	China	 Black Bean Custom Code: 19-3909 TCX Price: \$0.04	 Black Bean Custom Code: 19-3909 TCX Price: \$0.04	 Black Bean Custom Code: 19-3909 TCX Price: \$0.04
8 	Packaging Box - Cunningham CODE: xapUW Supplier: To Be Determined Content (Fiber Content): 100% Recycled cardboard Finishes: Matte Dye Method: Piece Dyed Size: 12 x 9 in AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	Folded and Placed nicely inside box	Approved	China	 Black Bean Custom Code: 19-3909 TCX Price: \$0.15	 Black Bean Custom Code: 19-3909 TCX Price: \$0.15	 Black Bean Custom Code: 19-3909 TCX Price: \$0.15
Components 8						Total \$12.00	Total \$12.00	Total \$12.00



84.

Waistband Width, Stretched (Knit)




107.

Front Rise



108.

Back Rise



88.

Low Hip Width From Waist (Knit)




86.

High Hip Width (Knit)



105.

Inseam




106.

Outseam



81.

Waistband Depth



127.

Pocket Opening Within A Seam



Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Waistband Width (knit)	82	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband.	false	Half	3/8 in	-1 in	-1 in	15 1/2 in	1 in	1 in	1 in	1/2 in
Waistband Width, Stretched (knit)	84	Measure from side of bottom band to side of bottom band straight across center of band in a fully extended position.	false	Half	3/8 in	-1 in	-1 in	18 1/2 in	1 in	1 in	1 in	1/2 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	1/2 in	-3/8 in	-3/8 in	12 in	3/8 in	3/8 in	3/8 in	3/8 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	1/2 in	-3/8 in	-3/8 in	16 in	3/8 in	3/8 in	3/8 in	3/8 in
Low Hip Width from Waist (knit)	88	Measure from edge of garment/side seam to edge of garment/side seam at a point 7" below bottom edge of waistband/seam following contour of waist.	true	Half	3/8 in	-1 in	-1 in	21 in	1 in	1 in	1 in	1/2 in
High Hip Width (knit)	86	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 4" below bottom edge of waistband/ seam, following contour of waist.	false	Full	1/2 in	-1 in	-1 in	20 in	1 in	1 in	1 in	1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	1/4 in	-3/8 in	-3/8 in	9 1/2 in	3/8 in	3/8 in	3/8 in	3/8 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	1/4 in	-3/8 in	-3/8 in	19 in	3/8 in	3/8 in	3/8 in	3/8 in
Thigh Width (knit)	109	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening	false	Half	1/8 in	-1/4 in	-1/4 in	14 1/2 in	1/2 in	1/2 in	1/2 in	1/2 in
Leg Opening Width (Knit)	113	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet.)	true	Half	1/8 in	-1/4 in	-1/8 in	14 in	1/4 in	1/4 in	1/4 in	1/8 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	-1/8 in	0 in	2 in	0 in	1/8 in	1/8 in	1/8 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	1/4 in	-1/8 in	0 in	6 1/2 in	0 in	0 in	0 in	0 in
Drawstring length	Draw1	Half of total drawstring length	true	Half	1/2 in	0 in	0 in	54 in	0 in	0 in	0 in	0 in



Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Waistband Width (knit)	82	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband.	false	Half	3/8 in	13 1/2 in	14 1/2 in	15 1/2 in	16 1/2 in	17 1/2 in	18 1/2 in	19 in
Waistband Width, Stretched (knit)	84	Measure from side of bottom band to side of bottom band straight across center of band in a fully extended position.	false	Half	3/8 in	16 1/2 in	17 1/2 in	18 1/2 in	19 1/2 in	20 1/2 in	21 1/2 in	22 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	1/2 in	11 1/4 in	11 5/8 in	12 in	12 3/8 in	12 3/4 in	13 1/8 in	13 1/2 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	1/2 in	15 1/4 in	15 5/8 in	16 in	16 3/8 in	16 3/4 in	17 1/8 in	17 1/2 in
Low Hip Width from Waist (knit)	88	Measure from edge of garment/side seam to edge of garment/side seam at a point 7" below bottom edge of waistband/seam following contour of wast.	true	Half	3/8 in	19 in	20 in	21 in	22 in	23 in	24 in	24 1/2 in
High Hip Width (knit)	86	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 4" below bottom edge of waistband/ seam, following contour of waist.	false	Full	1/2 in	18 in	19 in	20 in	21 in	22 in	23 in	23 1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	1/4 in	8 3/4 in	9 1/8 in	9 1/2 in	9 7/8 in	10 1/4 in	10 5/8 in	11 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	1/4 in	18 1/4 in	18 5/8 in	19 in	19 3/8 in	19 3/4 in	20 1/8 in	20 1/2 in
Thigh Width (knit)	109	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening	false	Half	1/8 in	14 in	14 1/4 in	14 1/2 in	15 in	15 1/2 in	16 in	16 1/2 in
Leg Opening Width (Knit)	113	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet.)	true	Half	1/8 in	13 5/8 in	13 7/8 in	14 in	14 1/4 in	14 1/2 in	14 3/4 in	14 7/8 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	1 7/8 in	2 in	2 in	2 in	2 1/8 in	2 1/4 in	2 3/8 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	1/4 in	6 3/8 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in	6 1/2 in
Drawstring length	Draw1	Half of total drawstring length	true	Half	1/2 in	54 in	54 in	54 in	54 in	54 in	54 in	54 in



Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE
Waistband Width (knit)	82	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband.	false	Half	3/8 in
Waistband Width, Stretched (knit)	84	Measure from side of bottom band to side of bottom band straight across center of band in a fully extended position.	false	Half	3/8 in
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	1/2 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	1/2 in
Low Hip Width from Waist (knit)	88	Measure from edge of garment/side seam to edge of garment/side seam at a point 7" below bottom edge of waistband/seam following contour of waist.	true	Half	3/8 in
High Hip Width (knit)	86	Measure from edge of garment/ side seam to edge of garment/ side seam at a point 4" below bottom edge of waistband/ seam, following contour of waist.	false	Full	1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	1/4 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	1/4 in
Thigh Width (knit)	109	Measure from pant leg edge/seam to pant leg edge/seam straight across pant leg @ 1" below crotch and parallel to leg opening	false	Half	1/8 in
Leg Opening Width (Knit)	113	Measure from pant leg edge/seam to pant leg edge/seam straight across bottom edge of leg opening. (Note: If leg opening is contoured, follow contour and indicate measurement change on spec sheet.)	true	Half	1/8 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in
Pocket Opening Within a Seam	127	Measure from top of pocket to bottom along edge of pocket opening	true	Full	1/4 in
Drawstring length	Draw1	Half of total drawstring length	true	Half	1/2 in